

# Mark Scheme (Results)

January 2012

GCE Biology (6BI01) Paper 01  
Lifestyle, Transport, Genes and Health

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at [www.edexcel.com](http://www.edexcel.com).

For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at [www.btec.co.uk](http://www.btec.co.uk).

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can contact our Science Subject Advisor directly by sending an email to [ScienceSubjectAdvisor@EdexcelExperts.co.uk](mailto:ScienceSubjectAdvisor@EdexcelExperts.co.uk).

You can also telephone 0844 576 0037 to speak to a member of our subject advisor team.

(If you are calling from outside the UK please dial + 44 1204 770 696 and state that you would like to speak to the Science subject specialist).

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at:

[www.pearson.com/uk](http://www.pearson.com/uk)

January 2012

Publications Code US030192

All the material in this publication is copyright

© Pearson Education Ltd 2012

## GENERAL INFORMATION

The following symbols are used in the mark schemes for all questions:

Symbol	Meaning of symbol
; semi colon	Indicates the end of a marking point
Eq	Indicates that credit should be given for other correct alternatives to a word or statement, as discussed in the Standardisation meeting
/ oblique	Words or phrases separated by an oblique are alternatives to each other
{ } curly brackets	Indicate the beginning and end of a list of alternatives (separated by obliques) where necessary to avoid confusion
( ) round brackets	Words inside round brackets are to aid understanding of the marking point but are not required to award the point
[ ] square brackets	Words inside square brackets are instructions or guidance for examiners
[CE] or [TE]	Consecutive error / transferred error

### Crossed out work

If a candidate has crossed out an answer and written new text, the crossed out work can be ignored. If the candidate has crossed out work but written no new text, the crossed out work for that question or part question should be marked, as far as it is possible to do so.

### Spelling and clarity

In general, an error made in an early part of a question is penalised when it occurs but not subsequently. The candidate is penalised once only and can gain credit in later parts of the question by correct reasoning from the earlier incorrect answer.

No marks are awarded specifically for quality of language in the written papers, except for the essays in the synoptic paper. Use of English is however taken into account as follows:

- the spelling of technical terms must be sufficiently correct for the answer to be unambiguous  
e.g. for amylase, 'ammalase' is acceptable whereas 'amylose' is not  
e.g. for glycogen, 'glicojen' is acceptable whereas 'glucagen' is not  
e.g. for ileum, 'illeum' is acceptable whereas 'ilium' is not  
e.g. for mitosis, 'mytosis' is acceptable whereas 'meitosis' is not
- candidates must make their meaning clear to the examiner to gain the mark.
- a correct statement that is contradicted by an incorrect statement in the same part of an answer gains no mark – irrelevant material should be ignored

Question Number	Answer	Mark
<b>1(a)</b>	1. amino acids ; 2. peptide ; 3. condensation / polymerisation ; 4. amino / amine / $\text{NH}_3^+$ / $\text{NH}_2$ ; 5. carboxyl / carboxylic (acid) / $\text{COO}^-$ / $\text{COOH}$ ; [Accept answers for 4 and 5 the opposite way round]	<b>(5)</b>

Question Number	Answer	Mark
<b>1(b)(i)</b>	ALLOW Mps in context of clearly labelled diagram 1. globular / eq ; 2. reference to active site ; 3. reference to specific shape of active site ; 4. reference to {bonds /named bond / interaction / eq} between R groups ; 5. credit correctly named {bond/interaction} e.g. disulphide bond, hydrogen bonds, hydrophobic interactions (between R groups) ;	<b>(3)</b>

Question Number	Answer	Mark
1(b)(ii)	<ol style="list-style-type: none"> <li>1. (primary structure) {position / sequence / order /eq} of the {amino acids / R groups} / eq ;</li> <li>2. idea that this determines the {positioning / type} of the {bonds / folding / eq} ;</li> <li>3. determining the {shape / properties} of the active site / eq ;</li> <li>4. idea of interaction of active sites and substrates e.g. enzyme substrate complex forms ;</li> <li>5. idea of {polar / hydrophilic} on the outside of enzymes / {non polar / hydrophobic} on the inside / eq ;</li> <li>6. reference to solubility ;</li> </ol>	<b>(3)</b>

Question Number	Answer	Mark
*2 (a)QWC	<p>(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> <li>1. (<i>gas exchange</i>) occurs through the {<i>cell membrane / phospholipid bilayer</i>} ;</li> <li>2. idea that the <i>membrane</i> is thin ;</li> <li>3. <i>oxygen</i> enters cell (from water) / eq ;</li> <li>4. <i>carbon dioxide</i> leaves cell (into water) / eq ;</li> <li>5. {<i>O<sub>2</sub> / oxygen / CO<sub>2</sub> / carbon dioxide</i>} are {<i>small / non-polar</i>} (<i>molecules</i>) ;</li> <li>6. reference to <i>diffusion</i> ;</li> <li>7. {reference to / description} (suitable) <i>concentration gradient</i> ;</li> <li>8. reference to <i>large surface area (to volume ratio)</i> ;</li> </ol>	(4)

Question Number	Answer	Mark
2 (b)	<ol style="list-style-type: none"> <li>1. reference to diffusion (in the cytoplasm) ;</li> <li>2. through the cytoplasm / description of part of cytoplasm / eq ;</li> <li>3. down a concentration gradient (in the cytoplasm) / eq ;</li> </ol>	(2)

Question Number	Answer	Mark
3 (a) (i)	D ;	(1)

Question Number	Answer	Mark
3 (a) (ii)	C ;	(1)

Question Number	Answer	Mark
3 (a) (iii)	A ;	(1)

Question Number	Answer	Mark
3(b)	<p>1. an increase in temperature increases the permeability / eq ;</p> <p>2. idea of change in {colour / permeability} related to {42 °C / 64 °C} OR no change up to 42 °C ;</p>	(2)

Question Number	Answer	Mark
3(c) (i)	<p>Any <b>two</b> from:</p> <ol style="list-style-type: none"> <li>1. reference to pre-treatment e.g. rinsing method ;</li> <li>2. {size / mass / surface area / volume / shape} of beetroot ;</li> <li>3. beetroot storage conditions / eq ;</li> <li>4. {same / type / species / eq} beetroot ;</li> <li>5. {age of beetroot / storage time} ;</li> <li>6. (incubation) time / eq ;</li> <li>7. {volume / concentration / eq} of {water / solution}(added to beetroot) ;</li> <li>8. pH ;</li> </ol>	(2)

Question Number	Answer	Mark
<b>3(c)(ii)</b>	<p>1. reference to repeats / replicates / eq ;</p> <p>2. idea that (colorimeter / readings) are {objective / quantitative / not qualitative / more accurate / provide numbers / more precise / measured not judged / eq} ;</p>	<b>(2)</b>

Question Number	Answer	Mark
<b>3(c)(iii)</b>	<p>1. (pink colour due to) {pigment / dye /betalain / eq} ;</p> <p>2. idea that this is released when {cells / vacuoles/ membranes} are damaged ;</p> <p>3. and had not been washed off / eq ;</p> <p>ACCEPT converse argument when clear</p>	<b>(2)</b>

Question Number	Answer	Mark
<b>3(c)(iv)</b>	<p>idea that the second experiment shows that the permeability increases between {5 / 22} °C and 42 °C / in first experiment 5 °C has an effect / eq</p> <p><b>OR</b></p> <p>idea that the second experiment's results are quantified ;</p>	<b>(1)</b>



Question Number	Answer	Mark
4 (a)	<p>Any 3 of the following:</p> <ol style="list-style-type: none"> <li>1. consists of (α) glucose ;</li> <li>2. (joined by 1,4 / 1,6) glycosidic bonds ;</li> <li>3. branched structure / eq ;</li> <li>4. idea of compact structure ;</li> </ol> <p>Any 3 of the following:</p> <ol style="list-style-type: none"> <li>5. idea that it is {easily / rapidly / eq} hydrolysed ;</li> <li>6. (leading to) more {glucose / eq} in a smaller space (in a cell)/ eq ;</li> <li>7. idea of low solubility ;</li> <li>8. it does not diffuse out of cells /eq ;</li> <li>9. it has no osmotic effect / eq ;</li> </ol>	(4)

Question Number	Answer	Mark
4 (b) (i)	<ol style="list-style-type: none"> <li>1. increasing intensity {increases carbohydrate use / decreases fat use / eq} / eq ;</li> <li>2. {low intensity exercise / intensity below {39 / 40} au} uses more energy derived from fats / eq ;</li> </ol> <p>OR {high intensity exercise / intensity above {39 / 40} au} uses more energy derived from carbohydrates / eq ;</p> <ol style="list-style-type: none"> <li>3. at {39 / 40} au both sources of energy used equally / eq ;</li> <li>4. credit correct manipulation of figures to compare energy usage ;</li> </ol>	(3)

Question Number	Answer	Mark
<b>4(b)(ii)</b>	<ol style="list-style-type: none"> <li>1. idea that this diet is suitable for {a high intensity / eq} event ;</li> <li>2. credit suitable example of athletic event e.g. any endurance or power event ;</li> <li>3. reference to more carbohydrate being used (than fat) above {39 / 40} a.u. / eq ;</li> <li>4. reference to carbohydrate being stored as glycogen ;</li> <li>5. idea of {maximum / more / lots of} glycogen (stored) ;</li> <li>6. idea that breakdown of glycogen provides energy (for the event) ;</li> </ol>	<b>(3)</b>

Question Number	Answer	Mark				
5(a)	<table border="1"> <tr> <td>x</td> <td>✓</td> </tr> <tr> <td>✓</td> <td>x</td> </tr> </table> <p>∴ [Any two correct for one mark]</p>	x	✓	✓	x	(2)
x	✓					
✓	x					

Question Number	Answer	Mark
5(b)(i)	amniocentesis / chorionic villus sampling / CVS ;	(1)

Question Number	Answer	Mark
5(b)(ii)	<ol style="list-style-type: none"> <li>1. idea of right to life ;</li> <li>2. abortion is murder / ref to risk of miscarriage / eq ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>3. false positive / negative / eq ;</li> <li>4. consequences of false result e.g. abortion of (healthy) fetus ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>5. who has right to decide if tests should be performed / eq ;</li> <li>6. {implications of medical costs / discrepancies over next step} / parents {have a right to know / can prepare / eq} ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>7. issues relating to confidentiality of {parents / child} / eq ;</li> <li>8. idea that {some other abnormality may be found / paternal DNA does NOT match / other family members have right to know results} ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>9. if abnormality found / eq ;</li> <li>10. consequence of abnormality found e.g. abortion, comment on possible problems with {future employment / insurance / what constitutes a serious condition} / eq ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>11. damage to fetus / risk of miscarriage ;</li> <li>12. loss of fetus / risk to mother / eq ;</li> </ol> <p><b>Or:</b></p> <ol style="list-style-type: none"> <li>13. ref. to stress to parents / eq ;</li> <li>14. consequences of stress e.g. increased risk of miscarriage ;</li> </ol>	(2)

Question Number	Answer	Mark
<b>5(c)(i)</b>	<ol style="list-style-type: none"> <li>1. reference to faulty {alleles / genes / DNA / eq} ;</li> <li>2. idea that gene therapy uses {normal / functioning / healthy} {alleles / genes / eq} ;</li> <li>3. so the normal {protein / gene product / RNA / eq } is produced (by the cells) / eq ;</li> </ol>	<b>(2)</b>

Question Number	Answer	Mark
<b>5(c)(ii)</b>	<ol style="list-style-type: none"> <li>1. reference to using {alleles / genes / eq} coding for the CFTR {protein / channel} ;</li> <li>2. reference to introducing the {alleles / genes / eq} into the cells ;</li> <li>3. of the {lungs / pancreas / reproductive tracts / eq} ;</li> <li>4. that produce mucus / eq ;</li> <li>5. using a {vector / named vector} ;</li> <li>6. credit suitable delivery mechanism e.g. nebuliser, injection ;</li> <li>7. idea that treatment needs to be repeated (due to cell replacement) ;</li> </ol>	<b>(3)</b>

Question Number	Answer	Mark
<b>6 (a) (i)</b>	<ol style="list-style-type: none"> <li>1. different tissues have different activities of catalase / eq ;</li> <li>2. Z has highest (activity) / eq ;</li> <li>3. Y has the lowest (activity) / X and Y have very similar levels / eq ;</li> <li>4. credit correct manipulation of figures e.g. Z has 12 more than Y / Z has 11 more than X ;</li> </ol>	<b>(3)</b>

Question Number	Answer	Mark
<b>6(a)(ii)</b>	<ol style="list-style-type: none"> <li>1. idea activity in mussel E is not higher than M in all tissues ;</li> <li>2. mussel E has lower (activity) in tissue X / eq OR (activity) is the same in tissue Y / eq OR mussel E has higher (activity) in tissue Z / eq ;</li> <li>3. mussel E has more (overall activity)/ eq ;</li> <li>4. credit correct comparative manipulation of figures ;</li> <li>5. Idea that both mussels have tissues with same order of activity e.g. Y X Z ;</li> </ol>	<b>(2)</b>

Question Number	Answer	Mark
<b>6(b)</b>	<ol style="list-style-type: none"> <li>1. reference to measuring volume of oxygen ;</li> <li>2. suitable reference to time e.g. oxygen produced in unit time, time taken to produce same volume of oxygen ;</li> <li>3. idea of measuring the initial rate of reaction ;</li> <li>4. reference to controlled variable in relation to the mussel e.g. age, part of mussel, mass, surface area ;</li> <li>5. reference to a controlled variable in relation to the experiment e.g. volume of hydrogen peroxide, temperature, concentration, pH ;</li> <li>6. suitable reference to repeats ;</li> </ol>	<b>(4)</b>

Question Number	Answer	Mark
<b>* 7(a) QWC</b>	<p>(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> <li>1. {damage / eq} to {endothelial cells/ epithelial cells / lining / eq} of artery ;</li> <li>2. ref to inflammatory response ;</li> <li>3. ref to migration of white blood cells into area / eq ;</li> <li>4. build up of cholesterol /eq ;</li> <li>5. reference to formation of atheroma / plaque ;</li> <li>6. reference to {calcium salts / fibrous tissue} ;</li> <li>7. ref to {loss of elasticity (of artery) / narrowing of lumen} / eq ;</li> <li>8. idea that this process is self-perpetuating ;</li> </ol>	<b>(4)</b>

Question Number	Answer	Mark
<b>7(b)(i)</b>	{the alleles / eq} present (in an organism) / eq ;	<b>(1)</b>

Question Number	Answer	Mark
<b>7(b)(ii)</b>	a (different) form of one gene / eq ;	<b>(1)</b>

Question Number	Answer	Mark
<b>7(c)</b>	<p>Any <b>two</b> from:  More saturated fat / more cholesterol / more salt / obesity / more alcohol / more age / male / post-menopausal women / high blood pressure / smoking / diabetes / less activity / stress ;</p>	<b>(1)</b>

Question Number	Answer	Mark
7(d)	<ol style="list-style-type: none"> <li>1. muscle {inflammation / pain / eq} ;</li> <li>2. liver {damage / failure/ eq} ;</li> <li>3. joint {aches / pains/ eq} ;</li> <li>4. nausea/constipation/diarrhoea ;</li> <li>5. kidney {damage / failure / eq} ;</li> <li>6. cataracts ;</li> <li>7. diabetes ;</li> <li>8. allergies / skin inflammation / skin rash / eq ;</li> <li>9. respiratory problems / persistent cough / eq ;</li> <li>10.headaches / dizziness / depression ;</li> </ol>	(2)



Question Number	Answer	Mark
<b>8(a)</b>	1. a bar showing 2% ; 2. a bar showing 16% ; 3. the obesity (dark) and overweight (light) portion identified / eq ;	<b>(3)</b>

Question Number	Answer	Mark
<b>8(b)(i)</b>	A ;	<b>(1)</b>

Question Number	Answer	Mark
<b>8(b)(ii)</b>	D ;	<b>(1)</b>

Question Number	Answer	Mark
<b>8(b)(iii)</b>	A ;	<b>(1)</b>

Question Number	Answer	Mark
<b>8(b)(iv)</b>	Either C or A  This is because the bar chart presented, detailing overweight and obesity percentage of population by gender in different countries, can be interpreted as either:  <b>C</b> - obesity as a subset of being overweight (following through the information in the question stem for 8(a))  <u><b>OR</b></u> <b>A</b> - overweight and obese as discrete categories (If candidates only refer to the bar chart and ignore the information in the stem of question 8(a)).	<b>(1)</b>

Question Number	Answer	Mark
<b>8(c)</b>	<ol style="list-style-type: none"> <li>1. graph shows percentages ;</li> <li>2. population size is not known e.g. sample size not known / the actual number of males and females who are obese will depend on the population size of each gender / eq ;</li> <li>3. there may be a different number of males to females / eq ;</li> </ol>	<b>(2)</b>

Question Number	Answer	Mark
<b>8(d)(i)</b>	(relationship between two variables is such that) a change in one of the variables is reflected by a change in the other variable / eq ;	<b>(1)</b>

Question Number	Answer	Mark
<b>8(d)(ii)</b>	<ol style="list-style-type: none"> <li>1. the (consumption of) corn syrup goes up / eq ;</li> <li>2. (this is) before the increase in obesity / eq ;</li> <li>3. reference to the (consumption of) dextrose falling with time e.g. during the 1970s ;</li> <li>4. reference to the consumption of glucose staying fairly constant ;</li> </ol>	<b>(3)</b>

Further copies of this publication are available from  
International Regional Offices at [www.edexcel.com/international](http://www.edexcel.com/international)

For more information on Edexcel qualifications, please visit  
[www.edexcel.com](http://www.edexcel.com)

Alternatively, you can contact Customer Services at  
[www.edexcel.com/ask](http://www.edexcel.com/ask) or on + 44 1204 770 696

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual  




Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

