Surname	Centre Number	Candidate Number
Other Names		2



GCE A level

1075/01

BIOLOGY/HUMAN BIOLOGY - BY5

A.M. WEDNESDAY, 22 June 2011 13/4 hours

For Examiner's use only			
Question	Maximum Mark	Mark Awarded	
1.	6		
2.	12		
3.	14		
4.	10		
5.	10		
6.	12		
7.	6		
8.	10		
Total	80		

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.


You are reminded of the necessity for good English and orderly presentation in your answers.

The quality of written communication will affect the awarding of marks.

	(i)	The recolonisation by living organire.	anisms of a woodland following its destruction	on by [1]
	(ii)	The first organisms which colon	ise a bare rock surface.	[1]
	(iii)	The stable stage of a succession	which undergoes no further change.	[1]
	(iv)	The different stages in a success	on.	[1]
(b)	(i)	The rate at which products such	as glucose are produced by a plant.	[1]
	(ii)	A diagram to represent the qua the next.	ntity of energy passing from one trophic le	vel to
			(Total 6 n	arks)
(a)	Com	aplete the table to show four different	ences between insect and wind pollinated p	
				[4]
		Insect pollinated	Wind pollinated	[4]]
		Insect pollinated	Wind pollinated	[4]
		Insect pollinated	Wind pollinated	[4]
		Insect pollinated	Wind pollinated	[4] -

	3
	0
100	$\overline{}$
2.	=
	=
\simeq	=
	_

(b)	Some flowers can self pollinate. What is the main disadvantage of self pollination?	[1]
(c)	State how the production of pollen grains has enabled flowering plants to adap terrestrial life.	t to [3]
(d)	On the following diagram of a broad bean pod (drawn in section), show which part the flower have developed into the labelled structures.	s of [4]



(Total 12 marks)

3. (a) Cattle can have coats which are white, red or an even distribution of white and red hair (Roan). Roan is caused by incomplete dominance between the alleles for red and white hair (heterozygous condition).

Cattle can have horns or be hornless. Horns are a result of a double recessive allele and hornless is caused by a dominant allele.

Kev:

WW = white H = hornless RW = roan h = horned

RR = red

The genetic diagram shows the cross between a hornless white animal with a horned red animal.

parental phenotype: hornless white × horned red

parental genotype: HH WW hh RR

genotype gametes: HW h R

genotype offspring: Hh W R

phenotype offspring: hornless roan

(i) The offspring were then bred together. Complete the Punnett square to show the possible genotypes of the offspring. [4]

Gametes		

1075 010005

(ii) Complete the following table to show the different phenotypes you would expect and the ratio. [6]


Phenotype	Ratio

<i>(b)</i>	The ancestors of modern cattle originated in the tropics. These animals evolved light c and darkly pigmented skin by natural selection to adapt them to high solar radiat Explain what is meant by the phrase 'evolved light coats and darkly pigmented skin natural selection'.	tion.
•••••		
•••••		••••••
•••••		

•••••		

(Total 14 marks)

4. The map shows the world distribution of different members of the canine (dog) family and the grid following shows if mating between different members of the canine family results in fertile offspring.



1075 010007

	dog	wolf	dingo	coyote	golden jackal	black- backed jackal	side- striped jackal
dog	1	1	1	1	1	×	×
wolf	1	1	1	1	1	×	×
dingo	\	1	1	1	1	×	×
coyote	1	1	1	1	1	×	×
golden jackal	1	1	1	1	1	×	×
black- backed jackal	×	×	×	×	×	1	×
side- striped jackal	×	×	×	×	×	×	1

Key:
Fertile offspring = \(\square\$
Infertile offspring = \times

(<i>a</i>)	dog. Give a reason for your answer. [2
(b)	Suggest two <i>other</i> pieces of evidence which would confirm that they were members of th same species. [2
••••••	
•••••	

(c)	(i)	Use the map to suggest which species are likely to have been produced by sympatric speciation. [1]
	(ii)	Suggest a possible isolating mechanism. [1]
(d)	case	chromosome number of the dog is 2n 78 and the European Red Fox is 2n 38. Rare s of mating between dogs and foxes have been recorded (resulting in an animal ed a dox) but the offspring are all sterile. Give reasons for this sterility. [4]
		(Total 10 marks)

1075


BLANK PAGE

(1075-01) **Turn over.**

5.

Mese way.	elson a	and Stahl investigated whether DNA replicated in a conservative or semiconservative	ve
(a)	Wha	at is meant by the term semiconservative replication?	2]
the heavy isotope as a source of nitrogen ¹⁵ N instead of the normal ¹ generations all of the DNA in all of the bacteria contained the heavy i were then washed and transferred to a ¹⁴ N medium and allowed to rep generation, bacteria were removed and ruptured to release the DNA		bacterium <i>Escherichia coli</i> (E.coli) was cultured in a nutrient broth, containing heavy isotope as a source of nitrogen ¹⁵ N instead of the normal ¹⁴ N. After sever erations all of the DNA in all of the bacteria contained the heavy isotope ¹⁵ N. The ethen washed and transferred to a ¹⁴ N medium and allowed to replicate. After each eration, bacteria were removed and ruptured to release the DNA. The DNA was a placed in a medium and spun in a centrifuge. The position of the DNA in the lium was then determined.	al ey ch as
	(i)	Name the part of the DNA molecule which contained the ¹⁵ N. [[1]
	(ii)	If they wanted to show the relative position of DNA from different sample of bacteria, suggest two variables which would need to be controlled in the centrifugation process.	
		1.	
		2	


(c) The diagram represents the results which they obtained.



(ii) Complete diagrams **C** and **D** to show the pattern and relative proportions of DNA you would expect. [2]

(Total 10 marks)

The diagram represents stages of protein synthesis.



(a)	(i)	Give the name of the processes taking place at X and Y .	
		X	
		Υ	
	(ii)	On the diagram label the following structures using clear lines and the legiven.	etters [8]
		26	

M = messenger RNA

N = nuclear pore

O = RNA polymerase

P = codon

Q = ribosome

 \hat{R} = transfer RNA

S = three hydrogen bonds between complementary bases T = template/sense strand of DNA

(b) Transfer RNA (tRNA) molecules are very specific and will only carry one type of amino acid depending on three unpaired nitrogenous bases on the molecule (the anticodon). The table shows the type of tRNA molecules which combine with certain amino acids.

Amino acid	anticodon
glycine	CCU
cysteine	ACA
arginine	GCA
alanine	CGU

Using the information given, state the nucleotide sequence on the **DNA molecule** which codes for the following polypeptide. [2]

glycine-c	cysteine-arginine-alanine.	
		(Total 12 marks

7. The drawing below shows a cross section through a seminiferous tubule.

			germinal epi	thelium cell	
			C		
			D		
V			spermatozoa	ı	
X					
	(a)	(i)	On the diagram, label cells A-D .	[2]	
		(ii)	Name the cell labelled X in the diagram.	[1]	
		(iii) 	What is the function of the cell labelled X ?	[1]	
	(b)	(i)	State the type of cell division involved in the production of cell A .	[1]	
		(ii)	Explain why there are more spermatozoa than cell type A in the tu	bule. [1]	
			((Total 6 marks)	

8. Answer one of the following questions. Any diagrams included in your answer must be fully annotated.			the following questions. sincluded in your answer must be fully annotated.
	Either, (a) Half of the world's forests have been cut down during the last What are the main consequences of deforestation? Discuss methods be used to reduce the impact.		
	Or	(b)	Genetic engineering involves the introduction of DNA from one species into another. Describe the process by which bacteria have been produced which synthesise human insulin. [10]
•••••			
•••••			
•••••			
•••••			
•••••			

······································
•••••••••••••••••
•••••••••••••••••••••••••••••••••••••••
