

OCR

Oxford Cambridge and RSA

Friday 17 June 2016 – Afternoon

A2 GCE MATHEMATICS

4727/01 Further Pure Mathematics 3

QUESTION PAPER

Candidates answer on the Printed Answer Book.


OCR supplied materials:

- Printed Answer Book 4727/01
- List of Formulae (MF1)

Other materials required:

- Scientific or graphical calculator

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found inside the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- **Write your answer to each question in the space provided in the Printed Answer Book.** If additional space is required, you should use the lined page(s) at the end of the Printed Answer Book. The question number(s) must be clearly shown.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.

INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- The Printed Answer Book consists of **16** pages. The Question Paper consists of **4** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

- Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

Answer **all** the questions.

1 In this question, give all non-real numbers in the form $re^{i\theta}$ where $r > 0$ and $0 < \theta < 2\pi$.

(i) Solve $z^5 = 1$. [2]

(ii) Hence, or otherwise, solve $z^5 + 32 = 0$. Sketch an Argand diagram showing the roots. [4]

2 Find the shortest distance between the lines $\mathbf{r} = \begin{pmatrix} 2 \\ 1 \\ 0 \end{pmatrix} + \lambda \begin{pmatrix} 1 \\ 2 \\ -1 \end{pmatrix}$ and $\mathbf{r} = \begin{pmatrix} -1 \\ 1 \\ 2 \end{pmatrix} + \mu \begin{pmatrix} 3 \\ 0 \\ 1 \end{pmatrix}$. [4]

3 The differential equation

$$\frac{2}{y} - \frac{x}{y^2} \frac{dy}{dx} = \frac{1}{x^2}$$

is to be solved subject to the condition $y = 1$ when $x = 1$.

(i) Show that $y = \frac{1}{u}$ transforms the differential equation into

$$x \frac{du}{dx} + 2u = \frac{1}{x^2}. \quad [3]$$

(ii) Find y in terms of x . [7]

4 Let A be the set of non-zero integers.

(i) Show that A does not form a group under multiplication. [2]

(ii) State the largest subset of A which forms a group under multiplication. Show that this is a group. [3]

5 Find the general solution of the differential equation

$$\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + 10y = 85 \cos x. \quad [8]$$

6 The planes Π_1 and Π_2 have equations

$$\mathbf{r} \cdot \begin{pmatrix} 1 \\ 2 \\ 1 \end{pmatrix} = 3 \quad \text{and} \quad \mathbf{r} \cdot \begin{pmatrix} 2 \\ 1 \\ 4 \end{pmatrix} = 5$$

respectively. They intersect in the line l .

(i) Find cartesian equations of l . [4]

The plane Π_3 has equation $\mathbf{r} \cdot \begin{pmatrix} 1 \\ 5 \\ -1 \end{pmatrix} = 1$.

(ii) Show that Π_3 is parallel to l but does not contain it. [3]

(iii) Verify that $(2, 0, 1)$ lies on planes Π_1 and Π_3 . Hence write down a vector equation of the line of intersection of these planes. [3]

- 7 (i) Use de Moivre's theorem to show that

$$\sin 6\theta \equiv \cos \theta (6 \sin \theta - 32 \sin^3 \theta + 32 \sin^5 \theta). \quad [5]$$

- (ii) Hence show that, for $\sin 2\theta \neq 0$,

$$-1 \leq \frac{\sin 6\theta}{\sin 2\theta} < 3. \quad [7]$$

- 8 A non-commutative multiplicative group G of order eight has the elements

$$\{e, a, a^2, a^3, b, ab, a^2b, a^3b\},$$

where e is the identity and $a^4 = b^2 = e$.

- (i) Show that $ba \neq a^n$ for any integer n . [2]
- (ii) Prove, by contradiction, that $ba \neq a^2b$ and also that $ba \neq ab$. Deduce that $ba = a^3b$. [6]
- (iii) Prove that $ba^2 = a^2b$. [2]
- (iv) Construct group tables for the three subgroups of G of order four. [7]

END OF QUESTION PAPER

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.