

Write your name here

Surname

Other names

Pearson
Edexcel GCE

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Statistics S3

Advanced/Advanced Subsidiary

Wednesday 23 May 2018 – Morning
Time: 1 hour 30 minutes

Paper Reference

6691/01

You must have:

Mathematical Formulae and Statistical Tables (Pink)

Total Marks

--

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P51573A

©2018 Pearson Education Ltd.

1/1/1



Pearson

1. Phil measures the concentration of a radioactive element, c , and the amount of dissolved solids, a , of 8 random samples of groundwater. His results are shown in the table below.

Sample	A	B	C	D	E	F	G	H
c	625	700	650	645	720	600	825	665
a	1.28	1.30	1.00	1.20	1.55	1.15	1.40	1.45

Given that

$$S_{cc} = 34\,787.5 \quad S_{aa} = 0.217\,287\,5 \quad S_{ca} = 47.7625$$

- (a) calculate, to 3 decimal places, the product moment correlation coefficient between the concentration of the radioactive element and the amount of dissolved solids for these groundwater samples. (1)
- (b) Use your value of the product moment correlation coefficient to test whether or not there is evidence of a positive correlation between the concentration of this radioactive element and the amount of dissolved solids in groundwater. Use a 5% significance level. State your hypotheses clearly. (3)
- (c) Calculate, to 3 decimal places, Spearman's rank correlation coefficient between the concentration of the radioactive element and the amount of dissolved solids. (5)
- (d) Use your value of Spearman's rank correlation coefficient to test for evidence of a positive correlation between the concentration of the radioactive element and the amount of dissolved solids. Use a 5% significance level. State your hypotheses clearly. (3)
- (e) Using your conclusions in part (b) and part (d), comment on the possible relationship between these variables. (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 1 continued

Lined area for writing answers.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 1 5 7 3 A 0 3 2 4

Leave blank

Question 1 continued

Area containing horizontal lines for writing.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 2 continued

Lined area for writing the answer to Question 2.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4. The waiting times, in minutes, of patients at a doctor's surgery follows a normal distribution with unknown mean μ and known standard deviation σ

A random sample of 120 patients was taken.

(a) Find, in the form $k\sigma$, the width of a 99% confidence interval for μ based on this sample. Give the value of k to 2 decimal places. (3)

A further random sample of 100 patients from the surgery gave a 90% confidence interval for μ of (5.14, 6.25)

(b) Use this confidence interval to determine whether or not it provides evidence that $\mu = 6$

State the hypotheses being tested here and write down the significance level being used. You do not need to carry out any further calculations. (3)

(c) Find the value of σ (3)

Horizontal lines for writing answers.



Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined area for writing the answer to Question 5.

Q5

--	--

(Total 12 marks)



6. David carries out an experiment with 4 identical dice, each with faces numbered 1 to 6. He rolls the 4 dice and counts the number of dice showing an even number on the uppermost face. He repeats this 150 times. The results are summarised in the table below.

No. of dice showing an even number	0	1	2	3	4
Frequency	12	45	36	39	18

David defines the random variable C as the number of dice showing an even number on the uppermost face when the four dice are thrown.

David claims that $C \sim B(4, 0.5)$

- (a) Stating your hypotheses clearly and using a 1% level of significance, test David's claim. Show your working clearly. (9)

John claims that $C \sim B(4, p)$

- (b) Calculate an estimate of the value of p from the summary of the results of David's experiment. Show your working clearly. (2)

John decides to test his claim. He calculates expected frequencies using the results of David's experiment and obtains the following table.

No. of dice showing an even number	0	1	2	3	4
Expected frequency	8.65	36.00	d	39.00	e

- (c) Calculate, to 2 decimal places, the value of d and the value of e (3)
- (d) State suitable hypotheses to test John's claim. (1)

John obtained a test statistic of 16.9 and carries out a test at the 1% level of significance.

- (e) State what conclusion John should make about his claim. (3)

DO NOT WRITE IN THIS AREA



