GCE Examinations Advanced Subsidiary / Advanced Level

Decision Mathematics Module D1

Paper B MARKING GUIDE

This guide is intended to be as helpful as possible to teachers by providing concise solutions and indicating how marks should be awarded. There are obviously alternative methods that would also gain full marks.

Method marks (M) are awarded for knowing and using a method.

Accuracy marks (A) can only be awarded when a correct method has been used.

(B) marks are independent of method marks.



Written by Shaun Armstrong & Dave Hayes © Solomon Press

These sheets may be copied for use solely by the purchaser's institute.


D1 Paper B – Marking Guide


1.		order:	5	6	4	1	3	2			
	Γ		A	В	С	D	E	F			
		A		130	190	155	140	(125)			
		В	(130)								
		C		215			180	(100)			
		D	155	200	110		70				
		E	140			(70)		75			
		F	125	170		(45)	75				
	L										
		giving	В	130	$A = \frac{1}{2}$	25 F	10	0 C			
						45					
							7()			
						Ľ) ——	E		M2 A2	
	lowes	st $\cos t = f$	2470							A1	(5)
2.	(a)	п	x_n	а	Any more data?	x_{n+1}	b	(b-a) > 0?	а		
		1	8	8	Yes	2	2	No	2		
		1 2 3 4 5 6	_	8 	Yes	2 4	2 4 3 5	Yes	_		
		3	-	_	Yes	3 5	3	Yes	-		
		4	_	-	Yes	5	5	Yes	_		
		5	_	-	Yes	1	1	No	1		
		6	_	-	Yes	7	7	Yes	_		
		7	-	-	No						
		Final Output = 1							M2 A4		
	(b)	it finds the smallest value in the set of data							B1	(7)	

3. (a)
$$x = 2, y = 14$$

M2 A1

	<i>(b)</i>	 (i) e.g. augment SCT by 2 and SBECADT by 3 giving: (ii) 		
		$A \xrightarrow{13} (13)^{7} D$		
		18^{0} 35^{2} 2^{0} 15^{15}		
		V_{18} 16 3 V_2 0		
	<i>S</i> €	$\overbrace{\overset{16}{\longleftarrow}16}^{0} \xrightarrow{0} C \xrightarrow{20} 20 \xrightarrow{0} T$		
	1	$\frac{2}{10}$ $\frac{2}{10}$ $\frac{1}{10}$ $\frac{2}{10}$		
		L_2 L_2 L_3		
		B E E E E		
		B E maximum flow = 53	M3 A3 A1	
	(c)	(i) minimum cut = 53, passing through DT , CT and ET	B1	
	(-)	 (ii) max flow = min cut it is not possible to get any more flow across this cut 	B1	(11)
4.	(a)	each node is joined to each other node by exactly one arc no node is joined to itself by a loop	B1	
	<i>(b)</i>	(i) $ABCDA, ABDCA, ACBDA, ACDBA, ADBCA, ADCBA = 6$	M1 A1	
	(-)	(i) (3 choices for 2^{nd} node, 2 for 3^{rd} , 1 for 4^{th} \therefore $3 \times 2 \times 1$) (ii) $4 \times 3 \times 2 \times 1 = 24$	M1 A1	
		(ii) $4 \times 3 \times 2 \times 1 - 24$ (iii) $9 \times 8 \times 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 362880$	M1 A1	
	(c)	27 25 29 32 19 24 17 26 (pivot in box)		
		17 19 27 25 29 32 24 26		
		L_1 L_2		
		17 19 27 25 29 24 26 32		
		L_3		
		17 19 27 25 24 26 29 32 L_4		
		17 19 24 27 25 26 29 32		
		L_5		
		17 19 24 25 27 26 29 32		
		$-\underbrace{}_{L_6}$		
		17 19 24 25 26 27 29 32		
		L_7 now complete	M2 A2	(11)





Performance Record – D1 Paper B

Question no.	1	2	3	4	5	6	7	Total
Topic(s)	Prim's	flow chart	flows	graphs, Hamiltonian cycles, quick sort	route inspection	linear prog. - graphical	critical path	
Marks	5	7	11	11	11	15	15	75
Student								