

GCE Examinations

Advanced Subsidiary / Advanced Level

Decision Mathematics

Module D1

Paper C

MARKING GUIDE

This guide is intended to be as helpful as possible to teachers by providing concise solutions and indicating how marks should be awarded. There are obviously alternative methods that would also gain full marks.

Method marks (M) are awarded for knowing and using a method.

Accuracy marks (A) can only be awarded when a correct method has been used.

(B) marks are independent of method marks.




Written by Shaun Armstrong & Dave Hayes

© Solomon Press

These sheets may be copied for use solely by the purchaser's institute.

D1 Paper C – Marking Guide


1. (a)



B1


- (b) e.g. $ABCDEA$ is a Hamiltonian cycle
 choose AC inside so BD and BC must go outside
 put AD or CE inside, then the other cannot be placed
 without overlapping so no planar drawing is possible

B2



B1

- (d) e.g. $AEBFCDA$ is a Hamiltonian cycle, redraw as polygon:




choose AD inside so BF and CE must go outside but
 this creates a crossing outside so no planar drawing is possible

B2

(6)

2. e.g.



M3 A4

(7)

3. (a) 150 104 200 60 184 84 120 (pivot in box)

150 104 200 184 84 120 60

L_1

200 184 150 104 84 120 60

L_2

L_3

200 184 150 104 120 84 60

L_4

200 184 150 120 104 84 60

L_5

200 184 150 120 104 84 60


L_6

now complete

M2 A2

(b) sort list in decreasing order and have bins of size 240
take each length in turn and put it in the first bin in which it can fit
count number of bins used

B2



\therefore 5 bins needed


M1 A1

(c) unused rod = $(5 \times 240) - (200 + 184 + 150 + 120 + 104 + 84 + 60)$
= 298 \therefore not possible

B1

(9)

4.



M3 A3


label H – label Y = 37 = weight YH
label Y – label Le = 23 = weight LeY
label Le – label Ma = 40 = weight MaLe
label Ma – label Li = 35 = weight LiMa
so Li Ma Le Y H is shortest route, length = 135 miles

M1 A1

A2

(10)

5. (a) arcs in ascending order by inspection:
20, 25, 25, 35, 38, 42, 50, 52, 55, 68, 75, 85, 85, 93, 100, 105, 108, 175




order: E-Gr, Gr-F, \leftrightarrow I-Ge, Gr-C, Gr-I, Gr-R, C-U;
cost £263

M2 A1

A1

- (b) (i) 25, 50, 55, 68, 75, 85, 85, 93, 100, 105, 108, 175



I-Ge, I-F, C-U, C-E, F-R (or Ge-R), Ge-E; cost £396

M1 A1

- (ii) previous tree still minimum, cost = £263

A1

- (c) e.g. translations between other languages cheaper via Greek even though Greek translation not required
(d) an asymmetric array could show both costs
(e) Prim's
(f) e.g. that a translation via another language will be of as good quality as one done directly - unlikely to be the case


B1

B1

B1

B2

(12)

6. (a) 
- (b) initial matching shown by B1
 search for alternating path giving e.g. $G - S$ (breakthrough) M1 A1
 change status giving $G = S$ M1
 alternating path e.g. $E - A = H - O = F - D = I - C$ (breakthrough) M1 A1
 change status giving $E = A - H = O - F = D - I = C$ M1
 complete matching e.g. $E - A, F - D, G - S, H - O, I - C$ M1 A1
- (c) e.g. there is now a cycle: $H - C = I - D = F - O = H$
 change status giving $H = C - I = D - F = O - H$
 alternative matching $E - A, F - O, G - S, H - C, I - D$ M2 A1 (13)

7. (a) $6x + 15y + 12z \leq 185$
 $3x + 3y + z \leq 30$
 $x + 4y + 4z \leq 60$ A3
- (b) there are 3 independent variables B1
- (c) rewriting with slack variables gives
 $6x + 15y + 12z + r = 185$
 $3x + 3y + z + s = 30$
 $x + 4y + 4z + t = 60$
 need to maximise $I = 40x + 90y + 60z$, considering 10's of pounds gives
 objective function $P - 4x - 9y - 6z = 0$, hence given tableau A1
- (d) θ values are $12\frac{1}{3}$, 10 and 15 so pivot row is 2nd row
- | Basic Var. | x | y | z | r | s | t | Value |
|------------|-----|-----|---------------|-----|----------------|-----|-------|
| r | -9 | 0 | 7 | 1 | -5 | 0 | 35 |
| y | 1 | 1 | $\frac{1}{3}$ | 0 | $\frac{1}{3}$ | 0 | 10 |
| t | -3 | 0 | $\frac{8}{3}$ | 0 | $-\frac{4}{3}$ | 1 | 20 |
| P | 5 | 0 | -3 | 0 | 3 | 0 | 90 |
- M2 A2
- increase z next, θ values are 5, 30 and $7\frac{1}{2}$ so pivot row is 1st row
- | Basic Var. | x | y | z | r | s | t | Value |
|------------|----------------|-----|-----|-----------------|----------------|-----|----------------|
| z | $-\frac{9}{7}$ | 0 | 1 | $\frac{1}{7}$ | $-\frac{5}{7}$ | 0 | 5 |
| y | $\frac{10}{7}$ | 1 | 0 | $-\frac{1}{21}$ | $\frac{4}{7}$ | 0 | $8\frac{1}{3}$ |
| t | $\frac{3}{7}$ | 0 | 0 | $-\frac{8}{21}$ | $\frac{4}{7}$ | 1 | $6\frac{2}{3}$ |
| P | $\frac{8}{7}$ | 0 | 0 | $\frac{3}{7}$ | $\frac{6}{7}$ | 0 | 105 |
- M2 A2
- optimal solution as all values on the objective row are ≥ 0 B1
- (e) 0 of X , $8\frac{1}{3}$ of Y and 5 of Z , giving $P = 105$ so profit = £1050 A1
- (f) try integer coordinates around the optimal solution
 e.g. (0, 8, 5) (1, 8, 5) (0, 9, 5) etc. checking feasible and seeking optimum B2 (18)

Total (75)

Performance Record – D1 Paper C

[illegible]